




Roller blinds

- Manchester Series
- Dwarfs Series
- Empire series
- Royal series
- Eiffel series
- Spring Series
- Universary parts



**Construction Features:**

1. Clutch with extended metal core; high quality German piano wire spring; Great lock strength, more relaxed smooth and durable;
2. Ribs of clutch special design, can be suitable for a variety of pipe diameters and ribs of groove tubes, better versatility;
3. Systematic: this series of roller blind system with six gears include reduction ratio 1:1.5 and without reduction ratio 1:1, included fixed head and rotating head;
4. The clutch without reduction ratio model, with chain mounting holes, simple installation;
5. Three-level springback type idler, convenient and reduce inventory;
6. Brackets 2mm thickness, use strong band steel material.

Performance Features:

1. Max load 6 kgs;
2. Use for roller blinds less than 10 square meters;
3. Life-testing more than 10000 times.

Color Range:**Manchester 28 mm clutch (no adjuster)**

CODE	BER-MC-NN28/BER-MC-NG28
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 28.5-29.3$ mm tube of various specification

**Manchester 28 mm clutch (with adjuster)**

CODE	BER-MC-AN28/BER-MC-AG28
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 28.5-29.3$ mm tube of various specification

**Manchester 32 mm clutch (no adjuster)**

CODE	BER-MC-NN32/BER-MC-NG32
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 32.5-33.3$ mm tube of various specification

**Manchester 32 mm clutch (with adjuster)**

CODE	BER-MC-AN32/BER-MC-AG32
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 32.5-33.3$ mm tube of various specification

**Manchester 38 mm clutch (no adjuster)**

CODE	BER-MC2-NN38/BER-MC2-NG38
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 37.2-37.8$ mm tube of various specification

**Manchester 38 mm clutch (with adjuster)**

CODE	BER-MC2-AN38/BER-MC2-AG38
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 37.2-37.8$ mm tube of various specification

**Manchester 38 mm clutch (no adjuster)**

CODE	BER-MC-NN38/BER-MC-NG38
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, three-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 37.2-37.8$ mm tube of various specification

**Manchester 38 mm clutch (with adjuster)**

CODE	BER-MC-AN38/BER-MC-AG38
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, three-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 37.2-37.8$ mm tube of various specification

**Manchester 43 mm clutch (no adjuster)**

CODE	BER-MC2-NN43/BER-MC2-NG43
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 41.7-42.3$ mm tube of various specification

**Manchester 43 mm clutch (with adjuster)**

CODE	BER-MC2-AN43/BER-MC2-AG43
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, two-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. $\varnothing 41.7-42.3$ mm tube of various specification



Manchester Series Components

Manchester 43 mm clutch (no adjuster)

CODE	BER-MC-NN43/BER-MC-NG43
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, three-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. ϕ 41.7-42.3mm tube of various specification



Manchester 43 mm clutch (with adjuster)

CODE	BER-MC-AN43/BER-MC-AG43
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

Metal core, 4 springs, three-level idler, max load 6 KG 1:1 & 1:1.5 reduction ratio
USE WITH. ϕ 41.7-42.3mm tube of various specification



Manchester bracket

CODE	BER-MB
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	2000 Sets

SPEC. 2.0mm metal bracket
USE WITH. Manchester clutch




Manchester decorative cover

CODE	BER-MBC
COLOR	White/Ivory/Grey/Black
PACK	150 SETS/CTN
MOQ	2000 Sets

SPEC. POM decorative cover
USE WITH. Apply to Manchester Bracket.



Rollers / Dwarfs clutch series




Construction Features:

1. Key parts use high quality PA+GF material;
2. Use high-quality piano wire springs;
3. Elastic spindle is easy to install loop chain and spring assistant;
4. Brackets 1.5mm thickness, use strong band steel material;
5. Double roller blind system, left and right operation can be chosen.

Performance Features:

1. Max load 5 kgs;
2. Use for roller blinds less than 8 square meters;
3. Life-testing more than 1000 times.

Color Range:

			
white	Ivory	grey	black

Dwarfs Series Components

Dwarfs 32 mm clutch(Without gear)

CODE	BER-DC-32NN
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Metal core, 4 springs, max load 5kg.1:1 reduction ratio
USE WITH. Apply to ϕ 32.5-33.3mm tube of various specification



Dwarfs 43 mm clutch (with gear)

CODE	BER-DC-43NG
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Metal core, 4 springs, max load 5kg.1:1 reduction ratio
USE WITH. Apply to ϕ 41.7-42.3mm tube of various specification



Dwarfs 38 mm clutch(Without gear)

CODE	BER-DC-38NN
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Metal core, 4 springs, max load 5kg.1:1 reduction ratio
USE WITH. Apply to ϕ 37.2-37.8mm tube of various specification



Dwarfs 38 mm clutch (with gear)

CODE	BER-DC-38NG
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Metal core, 4 springs, max load 5 kg.1:1.5 reduction ratio
USE WITH. Apply to ϕ 37.2-37.8mm tube of various specification



Dwarfs bracket

CODE	BER-DB
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	2000 Sets

SPEC. 1.5mm metal bracket
USE WITH. Dwarfs clutch




Dwarfs double bracket (left/right can operation)

CODE	BER-DDB
COLOR	White/Ivory/Grey/Black
PACK	50 SETS/CTN
MOQ	1000 Sets

SPEC. Use 1.5mm super strong stainless steel
USE WITH. Dwarfs clutch






Construction Features:

- 1. Special installation of pulling chain;
- 2. Use PA66+GF,POM,PC,High quality engineering plastic.
- 3. Metal core technology,high quality German piano wire springs;
- 4. Two level spring back type idler;
- 5. Left and right installation of double roller blinds can be chosen;
- 6. These series of roller blind system with six gears include reduction ratio 1:1.65 labor saving 30%-40%

Performance Features:

- 1. Max load 7 kgs;
- 2. Use for roller blinds less than 12 square meters.
- 3. Life-testing more than 10000 times.

Color Range:



Eiffel 38 MM clutch (no adjuster)

CODE	BER-EFC-NG38
COLOR	White/Black/Ivory/Grey
PACK	50 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core,4 spring,Two-level idler,Max load 7 KG.1:1.65 reduction ratio
USE WITH. Apply to 37.2-37.8 mm tube of various specification.



Eiffel 38 MM clutch (no adjuster)

CODE	BER-EFC-NG38
COLOR	White/Black/Ivory/Grey
PACK	50 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core,4 spring,Two-level idler,Max load 7 KG.1:1.65 reduction ratio
USE WITH. Apply to 37.2-37.8 mm tube of various specification.



Eiffel Decorative cover

CODE	BER-EFBC
COLOR	White/Black/Ivory/Grey
PACK	200 SETS/CTN
MOQ	1000 Sets

SPEC. POM decorative cover
USE WITH. Apply to 38 MM Eiffel Bracket.




Eiffel Bracket

CODE	BER-EFB
COLOR	White/Black/Ivory/Grey
PACK	50 SETS/CTN
MOQ	1000 Sets

SPEC. 1.5 mm Metal bracket
USE WITH. Apply to Eiffel 38 MM clutch clutch.






Construction Features:

1. Special installation of pulling chain;
2. Metal core technology, high quality German piano wire springs;
3. Use PA66+GF, POM, PC, high quality engineering plastic;
4. Three level springback type idler;
5. Fixed and rotating clutch can be chosen;
6. Left and right installation of double roller blinds can be chosen;
7. Systematic: this series of roller blind system with six gears include reduction ratio 1:1.65.

Performance Features:

1. Max load 8 kgs;
2. Use for roller blinds less than 14 square meters;
3. Life-testing more than 10000 times.

Color Range:



Empire 38mm clutch(no adjuster)

CODE	BER-EC-NN38/BER-EC-NG38
COLOR	White/Ivory/Grey/Black
PACK	60 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core, 3 springs, three-level idler,max load 8 KG.1:1 & 1:65 reduction ratio USE WITH. Apply to ø 37.2-37.8 MM tube of various specification



Empire 38mm clutch(with adjuster)

CODE	BER-EC-AN38/BER-EC-AG38
COLOR	White/Ivory/Grey/Black
PACK	60 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core, 3 springs, three-level idler,max load 8KG.1:1 & 1:65 reduction ratio USE WITH. Apply to ø 37.2-37.8 MM tube of various specification



Empire 43mm clutch(no adjuster)

CODE	BER-EC-NN43/BER-EC-NG43
COLOR	White/Ivory/Grey/Black
PACK	60 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core, 3 springs, three-level idler,max load 8 KG.1:1 & 1:65 reduction ratio USE WITH. Apply to ø 41.7-42.3 MM tube of various specification



Empire 43mm clutch(with adjuster)

CODE	BER-EC-AN43/BER-EC-AG43
COLOR	White/Ivory/Grey/Black
PACK	60 SETS/CTN
MOQ	1000 Sets

SPEC. Strong metal core, 3 springs, three-level idler,max load 8 KG.1:1 & 1:65 reduction ratio USE WITH. Apply to ø 41.7-42.3 MM tube of various specification



Empire bracket

CODE	BER-EB
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets


SPEC. 2.0 MM Metal bracket USE WITH. Apply to 38 MM/43 MM Empire clutch




Empire Decorative cover

CODE	BER-EBC
COLOR	White/Ivory/Grey/Black
PACK	200 SETS/CTN
MOQ	1000 Sets

SPEC. POM decorative cover USE WITH. Apply to 38 MM/43 MM Empire clutch





Construction Features:

1. In-built metal spring base, 1:5 gears deceleration system, good labor saving;
2. High strength PA66, metal core braking system;
3. Idler localizer system, convenient localization;
4. Adjustable localizer, convenient adjustment;
5. Hanging idler bracket system, small gap and convenient installation;
6. Reduction ratio 1:5, labor saving 50%.

Performance Features:

1. Max load 15 kgs;
2. Use for roller blinds max width 4 m,max height 10 m;
3. Life-testing more than 10000 times.

Color Range:



Royal 50mm heavy duty system

CODE	BER-RC-50
COLOR	White
PACK	40 SETS/CTN
MOQ	500 Sets
SPEC. Metal bearing, Localizer limit, Max load 15 KG USE WITH. Apply to 50.7-51.3 56 MM tube of various specification.	



Royal 50mm side bracket (without HR)

CODE	BER-RB
COLOR	White/Ivory/Grey/Black
PACK	100 SETS/CTN
MOQ	500 Sets
SPEC. 2.2 MM Metal bracket USE WITH. Apply to Royal 50 MM clutch.	




Royal 50mm side bracket (with HR)

CODE	BER-RBH
COLOR	White
PACK	100 SETS/CTN
MOQ	500 Sets
SPEC. 2.2 MM Metal bracket (Headrail type) USE WITH. Apply to Royal 50 MM clutch.	



Royal Aluminum 50mm Headrail

CODE	BER-RHR
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	900 Meter
SPEC. 0.337 KG/M, 6063 Aluminum Alloy USE WITH. Apply to Royal 50 MM headrail bracket	



Royal 50MM Head rail ceiling bracket

CODE	BER-RCB
COLOR	White/Ivory/Grey/Black
PACK	1000 PC/CTN
MOQ	2000 Pc
SPEC. 0.8 MM Spring steel USE WITH. Apply to Royal 50 MM aluminum headrail	



Royal 50mm Head rail wall bracket

CODE	BER-RWB
COLOR	White/Ivory/Grey/Black
PACK	500 PC/CTN
MOQ	2000 Pc
SPEC. 2.0 MM Metal bracket USE WITH. Apply to Royal 50 MM ceiling bracket	




Royal 50mm bracket Cover

CODE	BER-RBC
COLOR	White/Ivory/Grey/Black
PACK	150 PC/Ctn
MOQ	2000 Pc
SPEC. POM decorative cover USE WITH. Apply to Royal 50 MM bracket	



Aluminum 50mm tube

CODE	BER-AT-50
COLOR	Silver
PACK	5.8M/PC 5 PC/CTN
MOQ	305 Meter
SPEC. 0.995 KG/M, 6063 Aluminum Alloy USE WITH. Apply to 50 MM clutch	




Flat end cap


CODE	BER-EC-50
COLOR	White/Black
PACK	5000 PC/CTN
MOQ	2000 Pc
USE WITH. Apply to flat 50MM bottom rail	



Aluminum flat 50mm bottom rail

CODE	BER-BR-50
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 16 PC/CTN
MOQ	640 Meter
SPEC. 0.474 KG/M, 6063 Aluminum Alloy USE WITH. Apply to Royal roller blind	





Construction Features:

1. Positive pull the chain , roller blinds down, reverse the chain, head only unlock, roller blind automatically up.
2. The system is equipped with retarder, and the roller blinds automatically rises at a uniform and stable speed.
3. Roller blinds can be stopped at any height
4. 1:1.5 reduction ratio is adopted for the clutch making, which makes it easier to the chain.
5. The system is equipped with a limiter , and the roller blinds will automatically stop when it rises/ falls to a fixed position.
6. The clutch used mental-core technology.

Performance Features:

1. Max load 5 kgs;
2. Use for roller blinds less than 8 square meters;
3. Lift-testing more than 10000 times;
4. Roller blinds can be stopped at any height

Color Range:



Spring 38mm Clutch (With Localizer)

CODE	BER-SC
COLOR	White
PACK	40 SET/CTN
MOQ	1000 Sets

SPEC. Metal-core technology .Min W 0.95m,Max H 3m,Max load 6kgs
Option. 1:1.5 reduction ratio
USE WITH. Apply to 37.2-37.8mm tube of various specification.



Spring Bracket

CODE	BER-SB
COLOR	White
PACK	40 SET/CTN
MOQ	1000 Sets

SPEC. 1.5mm metal bracket
USE WITH. Apply to 38mm Spring seeries roller blinds



250T Spring assistant

CODE	BER-SA-250
COLOR	White
PACK	50 PC/CTN
MOQ	200 Pc

SPEC. Assistant for blind 1.5M-2 M height/Right and left can be closed
USE WITH. Apply to 38 MM 43 MM clutch



400T Spring assistant

CODE	BER-SA-400
COLOR	Black
PACK	50 PC/CTN
MOQ	200 Pc


SPEC. Assistant for blind 2M-3M height/Right and left can be closed
USE WITH. Apply to 38MM 43 MM clutch



Aluminum 28mm tube

CODE	BER-AT-28
COLOR	Silver
PACK	5.8 M/PC 20 PC/CTN
MOQ	1330 Meter


SPEC. 0.226 KG/M, 6063 Aluminum Alloy
USE WITH. Apply to 28 MM clutch



Aluminum 32mm tube

CODE	BER-AT-32
COLOR	Silver
PACK	5.8 M/PC 10 PC/CTN
MOQ	1200 Meter


SPEC. 0.252 KG/M, 6063 Aluminum Alloy
USE WITH. Apply to 30 MM/32 MM clutch



Aluminum 38mm tube

CODE	BER-AT-38
COLOR	Silver
PACK	5.8 M/PC 10 PC/CTN
MOQ	700 Meter


SPEC. 0.447 KG/M, 6063 Aluminum Alloy
USE WITH. Apply to 38 MM clutch



Aluminum 43mm tube

CODE	BER-AT-43
COLOR	Silver
PACK	5.8M/PC 10 PC/CTN
MOQ	650 Meter


SPEC. 0.465 KG/M, 6063 Aluminum Alloy
USE WITH. Apply to 43 MM clutch



Aluminum oval 26mm bottom rail

CODE	BER-BR-26
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 116 PC/CTN
MOQ	1640 Meter

SPEC. 0.244 KG/M, 6063 Aluminum Alloy
USE WITH. Apply to interior roller blind



Oval end cap

CODE	BER-EC-26
COLOR	Grey/White
PACK	2500 SETS/CTN
MOQ	10000 Sets

USE WITH. Apply to oval 26MM bottom rail



Universary parts
Ordinary middle joint

CODE	BER-OMJ-O
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Raise blinds together
USE WITH. Apply to 38 MM & 43 MM roller blind system


Dual function middle joint

CODE	BER-OMJ-D
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Raise blinds together or separately
USE WITH. Apply to 38 MM & 43 MM roller blind system


Adjust function middle joint

CODE	BER-OMJ-A
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/CTN
MOQ	1000 Sets

SPEC. Raise blinds together or separately,
Adjust blinds height
USE WITH. Apply to 38 MM & 43MM roller blind system


Double middle joint bracket

CODE	BER-DMJB
COLOR	White/Ivory/Grey/Black
PACK	40 PCS/CTN
MOQ	1000 Pc

SPEC. Connect over two blinds together
USE WITH. Apply to 38 MM & 43 MM double roller blind system


Double bracket(A)

CODE	BER-ODB
COLOR	White/Ivory/Grey/Black
PACK	50 SETS/CTN
MOQ	2000 Sets

SPEC. 2.0 MM Metal double bracket
USE WITH. Apply to 28 MM/38 MM/43 MM clutch


Double bracket (B)

CODE	BER-ODB-B
COLOR	White/Ivory/Grey/Black
PACK	80 SETS/ CTN
MOQ	2000 Sets

SPEC. 2.0 MM Metal double bracket
USE WITH. Apply to 28 MM/38 MM/43 MM clutch


Bracket (B)

CODE	BER-OB-B
COLOR	White/Ivory/Grey/Black
PACK	150 SETS/CTN
MOQ	1000 Sets

SPEC. 2.0 MM Metal double bracket
USE WITH. Apply to 28 MM/38 MM/43 MM clutch


43mm adaptor

CODE	BER-OCA-43
COLOR	White/Ivory/Grey/Black
PACK	200 PCS/CTN
MOQ	1000 Pcs

SPEC. PA66+GF Material
USE WITH. Apply to 38 MM clutch and idler


Double-sided tape

CODE	BER-SMJ2.5
COLOR	White
PACK	50 M/ROLL
MOQ	60 Rolls

USE WITH. Roller Blinds tube


Chain & cord tie down clip(A)

CODE	BEV-CDC-A
COLOR	Clear
PACK	2500 PCS/7.2 KGS
MOQ	10000 Pcs

USE for Vertical Blind system and roller


Plastic chain


CODE	BER-PC-4.5-6
COLOR	White/Ivory/Grey/Black, Customize
PACK	1600 M/CTN
MOQ	10000 Meter

SPEC. POM ball chain, loop chain for option
USE WITH. Apply to 4.5*6 MM clutch


Nickel Plated chain


CODE	BER-NC-4.5-6
COLOR	Silver
PACK	600 M/CTN
MOQ	5000 Meter

SPEC. Nickel Plated chain, loop chain for option
USE WITH. Apply to 4.5*6 MM clutch


Stainless steel chain

CODE	BER-SSC-4.5-6
COLOR	Silver
PACK	600 M/CTN
MOQ	5000 Meter

SPEC. 304# or 316# stainless steel material,
loop chain for option
USE WITH. Apply to 4.5*6 MM clutch


Plastic connector

CODE	BER-PCC-4.5-6
COLOR	White/Black/Transparent
PACK	10000 PC/CTN
MOQ	10000 Sets

SPEC. Plastic material
USE WITH. Apply to 4.5*6 MM plastic chain


Stainless steel connector

CODE	BER-SCC-4.5-6
COLOR	Silver
PACK	5000 PC/CTN
MOQ	10000 Pc

SPEC. Metal and stainless steel material can be chosen
USE WITH. Apply to 4.5*6 MM metal chain


Chain stopper

CODE	BER-CS-R1
COLOR	Transparent
PACK	20000 PC/CTN
MOQ	20000 Pc

SPEC. POM material
USE WITH. Apply to 4.5 MM ball chain


PVC Flat Strip(A)

CODE	BER-TPW-A
COLOR	White
PACK	930 M/CTN
MOQ	10000 Meters

SPEC. 7 MM/10 MM/15 MM can be chosen
USE WITH. Roller Blinds tube and bottom rail


Ruber Strip

CODE	BER-BRF-01
COLOR	White/Black
PACK	1000 M/CTN
MOQ	5000 Meters

USE WITH. Roller Blinds tube and bottom rail


Woolen strip

CODE	BER-WS-58G
COLOR	Grey
PACK	280 M/ROLL 4 ROLL/CTN
MOQ	2000 Meters

SPEC. Water-proof
USE WITH. Bottom rail


PVC Flat Strip(B)

CODE	BER-TPW-B
COLOR	Transparnt
PACK	930 M/CTN
MOQ	10000 Meters

SPEC. 7 MM/10 MM/15 MM can be chosen
USE WITH. Roller Blinds tube and bottom rail



Roller Blind Fabric

BE3000

Composition	25% PES+75% PVC	
Openness factor	Approx 5%	
Thickness	0.58 ± 5% mm	
Weight per m ²	455±5% g/ m ²	
Fire resistance	ISO 105 B02, GRADE 8	
Colorfastness	NFPA 701 Method 1:2010	
Health/Safety certificate	Oekotex/GreenGuard	
Width	2500 mm/3000 mm	
Pakaging/MOQ	30m/roll; 500 meters	


BE4000

Composition	30%PES+70%PVC	
Openness factor	Approx 5%	
Thickness	0.74±5% mm	
Weight per m ²	545±5% g/ m ²	
Fire resistance	NFPA 701 Method 1:2010	
Colorfastness	NFPA 701 Method 1:2010	
Health/Safety certificate	Oekotex/GreenGuard	
Width	2500 mm/3000 mm	
Pakaging/MOQ	30m/roll; 500 meters	

Bondy Beach

Composition	100%polyester	
Resins	Excellent Performance Polymer Environment friendly Anti-fungus protection, No yellowing, very good UV Protection. Excellent wash/dry clean resistance.	
Thickness	0.35 mm± 5% mm	
Coating	Direct blade coating	
Weight per m ²	340±5% g/ m ²	
Light fastness	≥ 5.0	
Width	2500mm/3000mm	
Pakaging/MOQ	20m/roll ; 30m/roll; 500 meters	


HGS Warterfalls

Composition	1-layer with glass fiber and 3-layer with pvc	
Resins	Waterproof. Environment friendly. Anti-fungus protection, No yellowing, very good UV Protection. Excellent wash/dry clean resistance.	
Thickness	0.36±5%mm	
Coating	Direct blade coating	
Weight per m ²	560±5% g/ m ²	
Light fastness	GB 50222-95 / NFPA 701(USA)	
Width	1830mm/2440mm	
Pakaging/MOQ	20m/roll; 500 meters	



Zebra blinds & shangri-la blinds

- Zebra blind series
- Shangri-la blind series




Construction Features

- 1. The design of appearance is fashionable;
- 2. Use PA66+GF, POM, PC, high quality engineering plastic;
- 3. Up and down localizer; specification 4.5 m, 9 m can be chosen
- 4. The design of cassette is large size spaces. Max height of blinds can be 4.5m.
- 5. Manster rotating clutch with decelerate rate 1:1 and 1:1.5 can be chosen.

Performance Features:

- 1. Max load 6 kgs;
- 2. Use for roller blinds less than 10 square meters;
- 3. Life-testing more than 10000 times.

Color Range:



Cassette 28mm clutch

CODE	BEZ-AN28/BEZ-AG28
COLOR	White/Ivory/Grey/Black
PACK	100 SETS/CTN
MOQ	2000 Sets

SPEC. Metal core, 4 springs, cassette type, max load 6 KG.1:1 & 1:1.5 reduction ratio
USE WITH. Apply to ø 27.2-27.8 MM tube of various specification



Cassette 38mm clutch

CODE	BEZ-AN38/BEZ-AG38
COLOR	White/Ivory/Grey/Black
PACK	100 SETS/CTN
MOQ	1000 Sets


SPEC. Metal core, 4 springs, cassette type, max load 6 KG
USE WITH. Apply to ø 37.2-37.8 MM tube of various specification



Aluminum cassette

CODE	BEZ-AC
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	420 Meter

SPEC. 0.727 KG/M,6063 Aluminum Alloy
USE WITH. Apply to zebra blind&shangri-la of various specification



Cassette side bracket

CODE	BEZ-CSB
COLOR	White/Ivory/Grey/Black
PACK	130 SETS/CTN
MOQ	2000 Sets

SPEC. PA+GF material
USE WITH. Apply to zebra blind & shangri-la blind round cassette system



Cassette wall bracket

CODE	BEZ-CWB
COLOR	White
PACK	100 SETS/CTN
MOQ	1000 Sets

SPEC. Nickel plated
USE WITH. Apply to zebra blind & shangri-la blind round cassette system




PVC flat strip

CODE	BEZ-FS-PVC
COLOR	transparent
PACK	100 METER/ROLLS 4 ROLLS/CTN
MOQ	10000 Meter

SPEC. 87 MM width
USE WITH. Apply to round cassette






Eiffel 38 MM clutch

CODE	BER-EFC-NG38
COLOR	White/Ivory/Grey/Black
PACK	100 SETS/ CTN
MOQ	1000 Sets
SPEC. Strong metal core,4 spring,Two-level ilder, Max load 8 KG.1:1.65 reduction ratio USE WITH. Apply to 37.2-37.8mm tube of various specification	




Alumium head rail

CODE	BEZ-HR
COLOR	White/Ivory/Grey/Black
PACK	5.8 METER/PC 50PC/CTN
MOQ	2000 Meter
SPEC. Aluminium USE WITH. Apply to zebra blind & shangri-la blind round cassette system	




Aluminum front cover

CODE	BEZ-FC
COLOR	White/Ivory/Grey/Black
PACK	5.8 METER/PC 50PC/CTN
MOQ	2000 Meterr
SPEC. Aluminium USE WITH. Apply to zebra blind & shangri-la blind round cassette system	



Aluminum Rear cover

CODE	BEZ-RC
COLOR	White/Ivory/Grey/Black
PACK	5.8 METER/PC 50PC/CTN
MOQ	2000 Meter
SPEC. Aluminium USE WITH. Apply to zebra blind & shangri-la blind round cassette system	



H middle rail guide buckle

CODE	BEZ-GB
COLOR	White
PACK	50 PCS/CTS
MOQ	1000 Pcs
SPEC. STEEL USE WITH. Apply to shangri-la blind bottom rail	



H middle rail end cover

CODE	BEZ-EC
COLOR	White
PACK	100 PCS/CTS
MOQ	1000 Pcs
SPEC. USE WITH. Apply to 38mm/43mm clutch	




Cassette side bracket

CODE	BEZ-SB
COLOR	White
PACK	150 PC/CTN
MOQ	1000 Pc
SPEC. POM USE WITH. Apply to 38mm/43mm clutch	



Cassette side bracket Decorative cover

CODE	BEZ-SBC
COLOR	White
PACK	150 SETS/CTN
MOQ	1000 Sets
SPEC. POM USE WITH. Apply to 38mm/43mm clutch	



Construction Features

1. The design of appearance is fashionable;
2. Use PA66+GF, POM, PC, high quality engineering plastic;
3. Up and down localizer; specification 4.5 m, 9 m can be chosen
4. The design of cassette is large size spaces. Max height of blinds can be 4.5m.
5. Effiel rotating clutch with decelerate rate 1:1 and 1:1.5 can be chosen.

Performance Features:

1. Max load 7 kgs;
2. Use for roller blinds less than 12 square meters;
3. Life-testing more than 10000 times.

Color Range:


			
white	Ivory	grey	black

Universal parts

Zebra blind bottom rail A type (1)

CODE	BEZ-BR-A1
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	1700 Meter


SPEC. .0.226 KG/M,6063 Aluminum Alloy
USE WITH. Apply to zebra blind of various specification



Zebra blind bottom rail A type (2)

CODE	BEZ-BR-A2
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	1700 Meter


SPEC. 0.183 KG/M,6063 Aluminum Alloy
USE WITH. pply to zebra blind of various specification



Zebra blind bottom rail B type (1)

CODE	BEZ-BR-B1
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	1508 Meter

SPEC. 0.199 KG/M,6063 Aluminum Alloy
USE WITH. Apply to zebra blind of various specification



Zebra blind bottom rail B type (2)

CODE	BEZ-BR-B2
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	1508 Meter

SPEC. 0.256 KG/M,6063 Aluminum Alloy
USE WITH. Apply to zebra blind of various specification



Zebra blind bottom rail A type end cap

CODE	BEZ-EC-A
COLOR	Clear/White
PACK	2500 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to zebra blind bottom rail A type



Zebra blind bottom rail B type end cap

CODE	BEZ-EC-B
COLOR	Clear/Grey
PACK	8000 PC/CTN
MOQ	8000 Pc

USE WITH. Apply to zebra blind bottom rail B type



Shangri-la bottom rail

CODE	BESG-BR
COLOR	White/Ivory/Grey/Black
PACK	5.8 M/PC 20 PC/CTN
MOQ	1700 Meter

SPEC. 0.195 KG/M,6063 Aluminum Alloy
USE WITH. Apply shangri-la blind of various specification



Shangri-la bottom rail end cap

CODE	BESG-EC
COLOR	Clear/Grey
PACK	5000 PC/CTN
MOQ	5000 Pc

USE WITH. Apply to shangri-la blind bottom rail type



Clutch localizer

CODE	BEZ-CL-4.5
COLOR	White/Ivory/Grey/Black
PACK	120 PC/CTN
MOQ	1000 Pc


SPEC. Clutch localizer 4.5 meter
USE WITH. Apply shangri-la blind of various specification



Idler localizer

CODE	BEZ-IL-4.5/BEZ-IL-9
COLOR	White
PACK	120 PC/CTN
MOQ	1000 Pc

SPEC. Localizer height 4.5 meter,9 meter can be chosen
USE WITH. Apply to 28 MM 38 MM clutch



Vertical Blinds Series


- Wand syestem
- Cord system
- Universal system



System Index:

1. Control Unit ;
2. Cord drive runner;
3. Polyester cord;
4. Plastic chain;
5. Universal parts.

Color Range:



25MM End caps

CODE	BEV-EC-25
COLOR	White/Ivory/Grey/Black
PACK	1000 PCS/10.4 KGS
MOQ	10000 Pcs
Option. Square/Curve can be choosen USE for 25 MM Vertical Blind wand system	



33MM End caps

CODE	BEV-EC-33
COLOR	White/Ivory/Grey/Black
PACK	1000 PCS/14.1 KGS
MOQ	10000 Pcs
Option. Square/Curve can be choosen USE for 33 MM Vertical Blind wand system	



Control mechanism closed type

CODE	BEV-CM-C
COLOR	White/Ivory/Grey/Black
PACK	1000 PCS/11.2 KGS
MOQ	5000 Pcs
USE for wand connector closed type	



25 MM end caps (Curve)

CODE	BEV-EC-25C
COLOR	White/Ivory/Grey/Black
PACK	1000 PCS/11.2 KGS
MOQ	5000 Pcs
USE for 25 MM Vertical Blind wand system wand connector hook type	



Control mechanism hook type

CODE	BEV-CM-H
COLOR	White/Ivory/Grey/Black
PACK	1000 PCS/ 11.5 KGS
MOQ	5000 Pcs
USE for wand connector hook type	



Wand connector

CODE	BEV-WC-8.7-A
COLOR	White/Ivory/Grey/Black
PACK	5000 PCS/ 16 KGS
MOQ	10000 Pcs
Option. 8.7 MM/10 MM can be choosen USE for 25 MM&33 MM closed type control mechanism	



Wand connector

CODE	BEV-WC-8.7-B
COLOR	White/Ivory/Grey/Black
PACK	5000 PCS/15.6 KGS
MOQ	10000 Pcs
Option. 8.7 MM/10 MM can be choosen USE for 25 MM&33 MM hook type control mechanism	



Wand holder

CODE	BEV-WH-8.7
COLOR	White/Ivory/Grey/Black
PACK	2000 PCS/16 KGS
MOQ	10000 Pcs
Option. 8.7 MM/10 MM can be choosen USE for 25 MM&33 MM Vertical Blind wand system	



Carrier connector


CODE	BEV-CC
COLOR	White/Ivory/Grey/Black
PACK	10000 PCS/6 KGS
MOQ	10000 Pcs
USE for 25 MM&33 MM Vertical Blind wand system	



Wand outer

CODE	BEV-VLW-8.7
COLOR	Painted white
PACK	0.067 KG / M,50 PCS/CTN
MOQ	4500 Meters
USE WITH. 25 MM & 33 MM Vertical blinds wand system	






System Index:

- 1. Control Unit ;
- 2. Cord drive runner;
- 3. Polyester cord;
- 4. Plastic chain;
- 5. Universal parts.

Color Range:

			
white	Ivory	grey	black

Control Unit For Low Profile Track 25MM Wide(curve)

CODE	BEV-CU-25C
COLOR	White/Ivory/Grey/Black
PACK	400 PCS/14.6 KGS
MOQ	20000 Pcs
Option. Square/Curve can be choosen USE for 25 MM Vertical Blind cord system	



Control Unit For High Profile Track 33MM Wide

CODE	BEV-CU-33
COLOR	White/Ivory/Grey/Black
PACK	400 PCS/16.4 KGS
MOQ	20000 Pcs
Option. Square/Curve can be choosenUSE for 33 MM Vertical Blind wand system USE for 33 MM Vertical Blind cord system	



Control Unit For Low Profile Track 25MM Wide

CODE	BEV-CU-25
COLOR	White/Ivory/Grey/Black
PACK	400 PCS/14.6 KGS
MOQ	20000 Pcs
Option. Square/Curve can be choosen USE for 25 MM Vertical Blind cord system	



Cord drive runner

CODE	BEV-CDR-A
COLOR	White/Ivory/Grey/Black
PACK	2500 PCS/8.5 KGS
MOQ	10000 Pcs
Universal for low and high profile Unassembled	



Cord drive runner 3 parts

CODE	BEV-CDR-B
COLOR	White/Ivory/Grey/Black
PACK	2500 PCS/13.3 KGS
MOQ	10000 Pcs
Universal for low and high profile Unassembled	



Cord Polyester Diameter:1.0mm

CODE	BEV-CP-1.0
COLOR	Any color available
PACK	2000 M/ROLL 12000 M/CARTON 9.5 KGS
MOQ	12000 Meters
USE for Vertical Blind system	




Cord Polyester Diameter:2.0mm

CODE	BEV-CP-2.0
COLOR	White/Black
PACK	4480 PCS/15.2 KGS
MOQ	22400 Meters
USE for Vertical Blind system	




25 mm aluminum headrail track(Square)

CODE	BEV-HTS-25
COLOR	Painted white
PACK	5.8 M/PC 20 PC/CTN
MOQ	1100 Meters
USE WITH. Low profile square vertical blind system	




25 mm aluminum headrail track(curve)

CODE	BEV-HTC-25
COLOR	Painted white
PACK	5.8 M/PC 20 PC/CTN
MOQ	1100 Meters
USE WITH. Low profile square vertical blind system	



33 mm aluminum headrail track(Square)

CODE	BEV-HTS-33
COLOR	Painted white
PACK	5.8 M/PC 20 PC/CTN
MOQ	800 Meters
USE WITH. High profile square vertical blind system	



Universal parts
Universal parts
Vertical Ceiling clip

CODE	BEV-VCC
COLOR	Painted white
PACK	2500 PCS/11.9 KGS
MOQ	5000 Pcs
USE WITH Vertical Blind system	


89mm Wall bracket with 1 screw & 1 nut

CODE	BEV-WB-89
COLOR	Painted white
PACK	400 PCS/17.4 KGS
MOQ	5000 Pcs
USE WITH Vertical Blind system	


127mm Wall bracket with 1 screw & 1 nut

CODE	BEV-WB-127
COLOR	Painted white
PACK	400 PCS/20.3 KGS
MOQ	5000 Pcs
USE WITH Vertical Blind system	


Cord weight 80±3g

CODE	BEV-CW-80
COLOR	White
PACK	100 PCS/8.3 KGS
MOQ	5000 Pcs
USE for Vertical Blind system	


Carrier For Low Profile H Hook-2 Way

CODE	BEV-25C-2H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile J Hook-2 Way

CODE	BEV-25C-2J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile H Hook-3 Way

CODE	BEV-25C-3H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile J Hook-3 Way

CODE	BEV-25C-3J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile H Hook-4 Way

CODE	BEV-25C-4H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile J Hook-4 Way

CODE	BEV-25C-4J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile J Hook-2 Way-With Metal Spacer

CODE	BEV-33C-2JM
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile H Hook-2 Way-With Metal Spacer

CODE	BEV-33C-2HM
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile J Hook-2 Way

CODE	BEV-33C-2J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile H Hook-2 Way

CODE	BEV-33C-2H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile J Hook-3 Way

CODE	BEV-33C-3J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile H Hook-3 Way

CODE	BEV-33C-3H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile J Hook-4 Way

CODE	BEV-33C-4J
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile H Hook-4 Way

CODE	BEV-33C-4H
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For High Profile J Hook-4 Way-With Metal Spacer

CODE	BEV-33C-4JM
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	


Carrier For Low Profile J Hook-4 Way with stainless spacer

CODE	BEV-25C-4JM
COLOR	White
PACK	4000 PCS/CTN
MOQ	20000 Pcs
USE for 25 MM Vertical Blind system	



Universal Parts
Universal Parts
Distance tube "Omega Ω" type Plastic Length=30mm

CODE	BEV-DT-L
COLOR	White
PACK	10000 PCS/11.6 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Distance tube "Omega Ω" type Plastic Length=10mm

CODE	BEV-DT-S
COLOR	White
PACK	20000 PCS/7.3 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Tilt rod support Universal for high and low profile With magnet

CODE	BEV-TRS-1
COLOR	White
PACK	2500 PCS/14.9 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Slat weight 100mm

CODE	BEV-SW-100
COLOR	White
PACK	500 PCS/18.8 KGS
MOQ	20000 PCS
USE for Vertical Blind system	


Slat weight 89mm

CODE	BEV-SW-89
COLOR	White
PACK	500 PCS/17 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Slat weight 127mm

CODE	BEV-SW-127
COLOR	White
PACK	250 PCS/10.6 KGS
MOQ	10000 PCS
USE for Vertical Blind system	


Slat weight 89mm (without bottom chain)

CODE	BEV-SW-89N
COLOR	White
PACK	500 PCS/15.9 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Slat weight 127mm (without bottom chain)

CODE	BEV-SW-127N
COLOR	White
PACK	250 PCS/10.4 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Bottom chain 89mm bottom weight

CODE	BEV-BC-89
COLOR	White
PACK	4000 M/17.2 KGS
MOQ	10000 Meters
USE for Vertical Blind system	


Bottom chain 127mm bottom weight


CODE	BEV-BC-127
COLOR	White
PACK	4000 M/13.6 KGS
MOQ	10000 Meters
USE for Vertical Blind system	


Chain safety device

CODE	BEV-CSD
COLOR	White
PACK	200 PCS/5.1 KGS
MOQ	2000 Pcs
USE for Vertical Blind system	


Plastic Spacer 80mm

CODE	BEV-PS-80
COLOR	White
PACK	20000 PCS/14 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Plastic Spacer 90mm

CODE	BEV-PS-90
COLOR	White
PACK	20000 PCS/15.2 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Plastic Spacer 112mm

CODE	BEV-PS-112
COLOR	White
PACK	20000 PCS/18.5 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Spacer Plastic 117mm

CODE	BEV-PS-117
COLOR	White
PACK	20000 PCS/18.5 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Stainless steel spacer 79mm

CODE	BEV-SS-79
COLOR	Stainless steel
PACK	5000 PCS/7.36 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Stainless steel spacer 116mm

CODE	BEV-SS-116
COLOR	Stainless steel
PACK	5000 PCS/10.9 KGS
MOQ	40000 Pcs
USE for Vertical Blind system	


Slat hanger for J & H hook carrier 89mm

CODE	BEV-SH-89A
COLOR	White
PACK	10000 PCS/15.6 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Slat hanger for J & H hook carrier 100mm

CODE	BEV-SH-100A
COLOR	White
PACK	5000 PCS/17 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Slat hanger for J & H hook carrier 127mm

CODE	BEV-SH-127A
COLOR	White
PACK	5000 PCS/17 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	



Slat hanger with double hole for H hook carrier 89mm

CODE	BEV-SH-89B
COLOR	White
PACK	10000 PCS/17 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Slat hanger with double hole for H hook carrier 127mm

CODE	BEV-SH-127B
COLOR	White
PACK	5000 PCS/17 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Slat hanger for J & H hook carrier 127mm

CODE	BEV-SH-127C
COLOR	White
PACK	3000 PCS/14.5 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Chain & cord tie down clip(A)

CODE	BEV-CDC-A
COLOR	Clear
PACK	2500 PCS/7.2 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Chain & cord tie down clip(B)

CODE	BEV-CDC-B
COLOR	Clear
PACK	1000 PCS/ 8.4 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Chain&cord tie down clip(C)

CODE	BEV-CDC-C
COLOR	Clear
PACK	1000 PCS/8.4 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Chain connector

CODE	BEV-CC-A
COLOR	White/Black
PACK	10000 PC/CTN
MOQ	20000 Pc
USE for Vertical Blind system	


Chain connector For #10 plastic chain

CODE	BEV-CC-B
COLOR	White/Black
PACK	10000 PCS/9.8 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Chain stopper Clear

CODE	BEV-CS-A
COLOR	White
PACK	20000 PCS/6KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Chain stopper

CODE	BEV-CS-B
COLOR	Clear
PACK	10000 PCS/5 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


Stop ring "C" type Spring steel wire

CODE	BEV-SR-A
COLOR	Black
PACK	20000 PCS/8 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Stop ring Plastic

CODE	BEV-SR-B
COLOR	White
PACK	20000 PCS / 11KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Lock washer Toothed internal For 3 or 4 prong tilt rod


CODE	BEV-LW-A
COLOR	Black
PACK	10000 PCS/ 4 KGS
MOQ	20000 Pcs
USE for Vertical Blind system	


Lock washer Brass Hex head screw Diameter=10mm


CODE	BEV-LW-B
COLOR	Metal
PACK	5000 PCS/9.9 KGS
MOQ	10000 Pcs
USE for Vertical Blind system	


3 spong aluminum tilt rod

CODE	BEV-TR3
COLOR	Sliver
PACK	5.8 M/PC 30 PC/CTN
MOQ	6000 Meters
USE WITH. Vertical blind system	


Cord Polyester Diameter:1.0mm

CODE	BEV-TR4
COLOR	Sliver
PACK	5.8 M/PC 30 PC/CTN
MOQ	5700 Meters
USE WITH. Vertical blind system	






25 mm Aluminum Venetian Blinds Wand System



1" Metal Headrail

CODE	BEVN-HR-25
COLOR	White
PACK	5 M/PC 50 METER/CTN
MOQ	1000 Meter

USE for 25 MM venetian blind system



Head rail cap (inside & outside type)

CODE	BEVN-EC-25
COLOR	Black
PACK	4000 PC/CTN
MOQ	18000 Pc

USE for 25 MM venetian blind system



Tilt mechanism 25mm

CODE	BEVN-TM-25A
COLOR	Transparent
PACK	2500 PC/CTN
MOQ	2500 Pc

USE for 25 MM venetian blind system



Tilt mechanism 25mm (Hook type)

CODE	BEVN-TM-25B
COLOR	Transparent
PACK	3000 PC/CTN
MOQ	3000 Pc

USE for 25 MM venetian blind system



Tilt mechanism

CODE	BEVN-TM-25C
COLOR	Transparent
PACK	3000 PC/CTN
MOQ	3000 Pc

USE for 25 MM venetian blind system



Cord lock

CODE	BEVN-CL-25
COLOR	Transparent
PACK	4500 PC/CTN
MOQ	4500 Pc

USE for 25 MM venetian blind system



Tape roll support

CODE	BEVN-TRS-25
COLOR	White
PACK	5000 PC/CTN
MOQ	5000 Pc

USE for 25 MM venetian blind system



Tape roll

CODE	BEVN-TR-25
COLOR	Transparent
PACK	10000 PC/CTN
MOQ	10000 Pc

USE for 25 MM venetian blind system



Tape ladder white 18*28

CODE	BEVN-TL-2818
COLOR	White / Stain
PACK	300 METER/CTN
MOQ	6000 Meter


USE for 25 MM venetian blind system



Tape ladder white 23*28

CODE	BEVN-TL-2823
COLOR	White
PACK	300 METER/CTN
MOQ	6000 Meter

USE for 25MM venetian blind system



Venetian 25mm Aluminum System

Venetian 25mm Aluminum System

Cord white 1.4mm

CODE	BEVN-CD-1.4
COLOR	White / Stain
PACK	10000 METER/CTN
MOQ	1000 Meter

USE for 25 MM venetian blind system



Cord Tie Down Clip Double Hole

CODE	BEVN-SCC-25
COLOR	Transparent
PACK	1000 PC/CTN
MOQ	1000 Pc

USE for 25 MM venetian blind system



Swivel bracket

CODE	BEVN-SB-25
COLOR	Natural color
PACK	1600 PC/CTN
MOQ	1600 Pc

USE for 25 MM venetian blind system



Fiber rod

CODE	BEVN-FC-25
COLOR	White
PACK	5M/PC 100 METER/CTN
MOQ	5000 Meter

USE for 25 MM venetian blind system



Safety lock

CODE	BEVN-SL-25
COLOR	Transparent
PACK	125000 PC/CTN
MOQ	125000 Pc


USE for 25 MM venetian blind system



Safety lock

CODE	BEVN-PCE-25
COLOR	Transparent
PACK	75000 PC/CTN
MOQ	75000 Pc

USE for 25 MM venetian blind system



Up plug

CODE	BEVN-UP-25A
COLOR	Transparent
PACK	18000 PC/CTN
MOQ	18000 Pc

USE for 25 MM venetian blind system



Up plug

CODE	BEVN-UP-25B
COLOR	Transparent
PACK	15000 PC/CTN
MOQ	15000 Pc

USE for 25 MM venetian blind system



Venetian blind wand 6*6

CODE	BEVN-WD-6*6
COLOR	Transparent
PACK	100 METER/CTN
MOQ	2000 Meter

USE for 25 MM venetian blind system



Tape spacer

CODE	BEVN-TS-25
COLOR	Transparent
PACK	80000 PC/CTN
MOQ	80000 Pc

USE for 25 MM venetian blind system



Wand Holder (6*6)

CODE	BEVN-WH-6*6
COLOR	Transparent&Black
PACK	5000 PC/CTN
MOQ	5000 Pc

USE for 25 MM venetian blind system



Pull cord tassel

CODE	BEVN-PCT-25
COLOR	Transparent
PACK	20000 PC/CTN
MOQ	20000 Pc

USE for 25 MM venetian blind system



1" Metal C type Bottom Rail

CODE	BEVN-BR-25C
COLOR	White
PACK	50 METER/CTN
MOQ	1000 Meter

USE for 25 MM venetian blind system



1" Metal H type Bottom Rail

CODE	BEVN-BR-25H
COLOR	White/Black
PACK	50 METER/CTN
MOQ	1000 Meter

USE for 25 MM venetian blind system



Bottom rail cap(inside &outside type)

CODE	BEVN-BRC-25C
COLOR	White
PACK	9000 PC/CTN
MOQ	9000 Pc

USE for 25 MM venetian blind system



Bottom rail cap(inside &outside type)

CODE	BEVN-BRC-25H
COLOR	White
PACK	20000 PC/CTN
MOQ	20000 Pc

USE for 25 MM venetian blind system



Hold down bracket

CODE	BEVN-HDB-25
COLOR	Transparent
PACK	12000 PC/CTN
MOQ	12000 Pc


USE for 25 MM venetian blind system



Tilter adapter

CODE	BEVN-TA-25
COLOR	Transparent
PACK	10000 PC/CTN
MOQ	10000 Pc

USE for 25 MM venetian blind system



Cord Tie Down Clip Single Hole


CODE	BEVN-SCC-25
COLOR	Transparent
PACK	1000 PC/CTN
MOQ	1000 Pc

USE for 25 MM venetian blind system





38mm&50mm Cord System



▲ Venetain Blinds cord system


- 38 MM cord system
- 50 MM cord system
- Universal system

38 mm cord system

1.5" High Metal Headrail

CODE	BEVN-HR-38
COLOR	White
PACK	5 Meter/PC 10 PC/Ctn
MOQ	1000 Meter


USE for 38mm venetian blind system



Head rail cap for 38mm

CODE	BEVN-HRC-38
COLOR	White
PACK	3000 PC/Ctn
MOQ	3000 Pc

USE for 38mm venetian blind system



Venetian 38mm System

Tilt mechanism 38mm

CODE	BEVN-TM-38
COLOR	White
PACK	1000 PC/Ctn
MOQ	1000 PC
USE for 38mm venetian blind system	




Cord lock

CODE	BEVN-CL-38
COLOR	Natural color
PACK	800 PC/Ctn
MOQ	1600 PC
USE for 38mm venetian blind system	



38mm Tape roll support

CODE	BEVN-TRS-38
COLOR	White
PACK	1500 PC/Ctn
MOQ	1500 PC
USE for 38mm venetian blind system	



38mmTape roll

CODE	BEVN-TR-38
COLOR	White
PACK	2000 PC/Ctn
MOQ	2000 PC
USE for 38mm venetian blind system	



String ladder white 32*38

CODE	BEVN-SL-32*38
COLOR	White / Stain
PACK	500 Meter/Ctn
MOQ	1000 Meter
USE for 38mm venetian blind system	



Tape Ladder White 25/31*38MM

CODE	BEVN-TL-25/31*38
COLOR	White / Stain
PACK	500 Meter/Ctn
MOQ	1000 Meter
USE for 38mm venetian blind system	



Cord white 1.8mm

CODE	BEVN-CD-1.8
COLOR	White / Stain
PACK	1000 Meter/Ctn
MOQ	8000 Meter
USE for 38mm venetian blind system	



38mm valance clip

CODE	BEVN-VC-38
COLOR	White
PACK	5000 PC/ctn
MOQ	5000 Pc
USE for 38mm venetian blind system	



Tape spacer 39.9mm

CODE	BEVN-TS-38
COLOR	Transparent
PACK	20000 PC/Ctn
MOQ	20000 Pc
USE for 38 MM venetian blind system	



Tape roll bottom


CODE	BEVN-TRB-38
COLOR	White/Transparent
PACK	1800 PC/Ctn
MOQ	1800 Pc
USE for 38 MM venetian blind system	



Venetian 50mm System

Metal H/P 51*58MM

CODE	BEVN-HR-50
COLOR	White
PACK	5 METER/PC; 8 PC/CTN
MOQ	5000 Meter
Use for for 50 MM High Profile	



Square Tilting Rod 6*6MM

CODE	BEVN-STR-6*6
COLOR	Natural color
PACK	5 METER/PC 20 PC/CTN
MOQ	1000 Meter
Use for for 50 MM High Profile	



END STEEL BRACKET FOR Metal Headrail 57.5mm*51.5mm

CODE	BEVN-EB-50
COLOR	White/Yellow/Coffee/Redish brown
PACK	100 PAIR/CTN
MOQ	2000 Pc
Use for for 50 MM High Profile	



Head Rail End Cap

CODE	BEVN-EC-50
COLOR	White
PACK	1600 PC/CTN
MOQ	8000 Pc
Use for for 50 MM High Profile	



Metal Valance Clip

CODE	BEVN-VC-50A
COLOR	Natural color
PACK	1000 PC/CTN
MOQ	10000 Pc
Use for for 50 MM High Profile	



50MM Steel Center Bracket for 2" high steel headrail

CODE	BEVN-HCB-50
COLOR	White
PACK	100 PC/CTN
MOQ	2000 Pc
Use for for 50 MM High Profile	



50mm tilt mechanism

CODE	BEVN-TM-50C
COLOR	Natural color
PACK	600 PC/CTN
MOQ	600 Pc
Use for for 50 MM High Profile	



50mm tape spacer

CODE	BEVN-TS-50
COLOR	Translucent
PACK	24000 PC/19 CTN
MOQ	24000 Pc
Use for for 50 MM High Profile	



50mm tape roll bottom

CODE	BEVN-TRB-50
COLOR	Clear
PACK	1800 PC/CTN
MOQ	10000 Pc
Use for for 50 MM High Profile	



Venetian 50mm System

Plastic valance clip

CODE	BEVN-VC-50C
COLOR	Transparent
PACK	8000 PC/CTN
MOQ	8000 Pc

Use for for 50 MM High Profile



Metal valance clip 59mm

CODE	BEVN-VC-50B
COLOR	Steel
PACK	500 PC/CTN
MOQ	5000 Pc

Use for for 50 MM High Profile



50 mm Cord Lock(A)

CODE	BEVN-CL-50A
COLOR	Natural color
PACK	700 PC/CTN
MOQ	8000 Pc

Use for for 50 MM High Profile



Swivel Bracket

CODE	BEVN-SB-50
COLOR	Natural color
PACK	200 PC/CTN
MOQ	2000 Pc

Use for for 50 MM High Profile



50 mm cord lock(B)

CODE	BEVN-CL-50B
COLOR	Natural color
PACK	600 PC/CTN
MOQ	1200 Pc

Use for for 50 MM High Profile



50mm cord lock(C)

CODE	BEVN-CL-50C
COLOR	Natural color
PACK	600 PC/CTN
MOQ	600 Pc

Use for for 50 MM High Profile



50 mm Tile Mechanism(A)

CODE	BEVN-TM-50A
COLOR	White
PACK	300 PC/CTN
MOQ	3000 Pc

Use for for 50 MM High Profile



50mm tilt mechanism(B)

CODE	BEVN-TM-50B
COLOR	White
PACK	500 PC/CTN
MOQ	500 Pc

Use for for 50 MM High Profile



50 mm Tape Drum Support

CODE	BEVN-TDS-50
COLOR	White
PACK	300 PC/CTN
MOQ	5000 Pc

Use for for 50 MM High Profile



50 mm Plastic Tape Roll

CODE	BEVN-PTD-50
COLOR	White
PACK	1400 PC/CTN
MOQ	5000 Pc

Use for for 50 MM High Profile



Cord white 2.0mm

CODE	BEVN-CD-2.0
COLOR	White/Stain
PACK	500 METER/CTN
MOQ	5000 Meter

Use for for 50 MM High Profile



Cord white 2.2mm

CODE	BEVN-CD-2.2
COLOR	White/Stain
PACK	500 METER/CTN
MOQ	5000 Meter

Use for for 50 MM High Profile



String ladder white 44*54

CODE	BEVN-SL-44*54
COLOR	White/Stain
PACK	250 METER/CTN
MOQ	2000 Meter

Use for for 50 MM High Profile



Tape Ladder White 25/44*54

CODE	BEVN-TL 25/44*54
COLOR	White/Stain
PACK	500 METER/CTN
MOQ	1000 Meter

Use for for 50 MM High Profile



Tape Ladder 38*44*54

CODE	BEVN-TL 38/44*54
COLOR	White/Stain
PACK	500 METER/CTN
MOQ	1000 Meter

Use for for 50 MM High Profile



Tape Ladder White 38*54*66

CODE	BEVN-TL 38/54*66
COLOR	White/Stain
PACK	500 METER/CTN
MOQ	1000 Meter

Use for for 50 MM High Profile



Warning card 13.2cm*6cm

CODE	BEVN-WC
COLOR	White
PACK	200 PC/CTN
MOQ	10000 Pc

USE WITH. Venetian blinds series



Venetian blind universal components

50mm venetian blind stopper

CODE	BEVN-STR
COLOR	White/Black
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Venetian blinds series



Valance Return Joinery (L shape)

CODE	BEVN-VRJ
COLOR	White
PACK	3000 PC/CTN
MOQ	10000 Pc

USE WITH. Venetian blinds series



Aluminum clip (with teeth)

CODE	BEVN-CLP
COLOR	Natural color
PACK	10000 PC/CTN
MOQ	20000 Pc

USE WITH. Venetian blinds series



PVC tassel

CODE	BEVN-TS-P
COLOR	White/Stain
PACK	6000 PC/CTN
MOQ	6000 Pc

USE WITH. Venetian blinds series



Hardwood tassel 19*25mm

CODE	BEVN-TS-W1
COLOR	White / Stain
PACK	1500 PC/CTN
MOQ	20000 Pc

USE WITH. Venetian blinds series



Hardwood tassel 16*39mm

CODE	BEVN-TS-W2
COLOR	White/Stain
PACK	1000 PC/CTN
MOQ	20000 Pc

USE WITH. Venetian blinds series



Tape lock button

CODE	BEVN-TLB-A
COLOR	White
PACK	158000 PC/CTN
MOQ	15800 Pc

USE WITH. Venetian blinds series



Tape roll button

CODE	BEVN-TLB-B
COLOR	White
PACK	11000 PC/CTN
MOQ	11000 Pc

USE WITH. Venetian blinds series



Tape lock button

CODE	BEVN-TLB-C
COLOR	Transparent
PACK	100000 PC/CTN
MOQ	100000 Pc

USE WITH. Venetian blinds series




Hardwood hollow tape roll button 17*12mm

CODE	BEVN-TLB-D
COLOR	White / Stain
PACK	2500 PC/CTN
MOQ	30000 Pc

USE WITH. Venetian blinds series




Roman Blinds



Construction Features:

1. The clutch use metal core brake technique,internal 1:3.5 Planetary gear reduction system.
2. High precision straight line reel, with line pressure and line cover to ensure that the line is not disorderedly.
3. Use 4.5*6 endless chain.
4. External design bracket, installation is convenient and quickly.
5. Profile appearance and beautiful.




**Construction Features:**


1. The clutch use metal core brake technique, internal 1:3.5 Planetary gear reduction system.
2. High precision straight line reel, with line pressure and line cover to ensure that the line is not disorderly.
3. Use 4.5*6 endless chain.
4. External design bracket, installation is convenient and quickly.
5. Profile appearance and beautiful.

Roman blind head rail

CODE	BERM-HR(A)
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter
SPEC. Aluminum USE WITH. Apply to star light roman blind series of various specification	

**6*6 Aluminum shaft**


CODE	BERM-SF
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter
SPEC. Aluminum USE WITH. Venetian blinds series	

**Aluminum clip (with teeth)**

CODE	BERM-WCB
COLOR	White
PACK	1000 PC/CTN
MOQ	1000 Pc
SPEC. Aluminum USE WITH. Apply to star light roman blind series	

**Roman blinds headrail rail**

CODE	BERM-HR(A)
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter
SPEC. Aluminum USE WITH. Venetian blinds series	

**Spool**


CODE	BEOR-NS
COLOR	White
PACK	700 PC
MOQ	2000 Pc
SPEC. POM USE WITH. Apply to star light roman blind series	

**Gear Clutch**

CODE	BEOR-CU
COLOR	White
PACK	240 PC
MOQ	2000 Pc
SPEC. Nylon and fiber material USE WITH. Apply to star light roman blind series	

**End cover**


CODE	BEOR-EP
COLOR	White
PACK	240 SET/CTN
MOQ	2000 Pc
SPEC. POM material USE WITH. Apply to star light roman blind series	

**Plastic chain**

CODE	BEOR-PCN
COLOR	White
PACK	600 M/CTN
MOQ	5000 Meter
SPEC. POM material USE WITH. Apply to star light roman blind series	

**1.2 Puling cord (strengthen)**

CODE	BEVN-TLB-C
COLOR	Transparent
PACK	1000 M/CTN
MOQ	5000 Meter
USE WITH. Venetian blinds series	

**Ring**

CODE	BERM-R(A)
COLOR	White
PACK	20000 PC/CTN
MOQ	20000 Pc
USE WITH. Venetian blinds series	

**Ring**

CODE	BERM-R(B)
COLOR	White
PACK	20000 PC/CTN
MOQ	20000 Pc
SPEC. POM material USE WITH. Apply to star light roman blind series	

**Fabric holder**

CODE	BERM-FH
COLOR	White
PACK	5.8 ETER/PC 50 PC/CTN
MOQ	2000 Meter
SPEC. Aluminum USE WITH. Venetian blinds series	

**Fiber rod**

CODE	BERM-FR
COLOR	White
PACK	3000 M/CTN
MOQ	3000 Meter
SPEC. ABS,PVC USE WITH. Apply to star light roman blind series	

**Headrail rail Bracket**

CODE	BERM-MRB
COLOR	White
PACK	5000 PC/CTN
MOQ	5000 pc
SPEC. 65 Mn USE WITH. Venetian blinds series	



Roman Blind System Series

C type middle rail

CODE	BERM-MRGB(C)
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter

SPEC. 6063
USE WITH. Apply to star light roman blind series



C type middle rail guid buckle

CODE	BERM-MRGB(C)
COLOR	White
PACK	5000 PC/CTN
MOQ	5000 Pc

SPEC. PC
USE WITH. Apply to star light roman blind series



C middle rail end cover

CODE	BERM-MREC(C)
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	5000 Pc

SPEC. PC
USE WITH. Apply to star light roman blind series



H middle rail

CODE	BERM-MR(H)
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter

SPEC. 6063
USE WITH. Apply to star light roman blind series



H middle rail guid buckle

CODE	BERM-MRGB(H)
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	5000 Pc

SPEC. PC
USE WITH. Apply to star light roman blind series



H middle rail end cover

CODE	BERM-MREC(H)
COLOR	White
PACK	5000 PC/CTN
MOQ	5000 Pc

SPEC. ABS
USE WITH. Apply to star light roman blind series



Bottom rail

CODE	BERM-BR
COLOR	White
PACK	5.8 ETER/PC 20 PC/CTN
MOQ	2000 Meter


SPEC. 6063
USE WITH. Apply to star light roman blind series



Bottom rail cover

CODE	BERM-BRC
COLOR	White
PACK	5000 PC/CTN
MOQ	5000 Pc



SPEC. ABS
USE WITH. Apply to star light roman blind series



Roman tape

CODE	BERM-RT
COLOR	Transparent
PACK	50 M/CTN
MOQ	5800 Meter

SPEC. PVC
USE WITH. Apply to star light roman blind series



Honeycomb blinds

Head track

CODE	BEH-HT
COLOR	Painted white
PACK	5.8 Meter/PC 30 PC/CTN
MOQ	2000 Meter

SPEC. 6063 Aluminum Alloy
USE WITH. Apply to 25 MM honeycomb blind series of various specification



25mm Honeycomb Blind Series

Cord lock

CODE	BEH-CL
COLOR	Transparent
PACK	1000 PC/CTN
MOQ	5000 Pc

SPEC. Left and right can be choosen
USE WITH. Apply to 25 MM honeycomb blind series of various specification



Cord connector

CODE	BEH-CCR-A
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



Cord connector

CODE	BEH-CCR-B
COLOR	White
PACK	10000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



Wall bracket

CODE	BEH-WB-A
COLOR	White
PACK	2000 PC/CTN
MOQ	6000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



Wall bracket

CODE	BEH-WB-B
COLOR	Silver
PACK	500 PC/CTN
MOQ	5000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



Cord protector

CODE	BEH-CP
COLOR	Transparent
PACK	10000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



End cap

CODE	BEH-EC
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to 25 MM honeycomb blind series of various specification



Tassel

CODE	BEH-TS
COLOR	Black/transparent
PACK	2000 PC/CTN
MOQ	6000 Pc

SPEC. Hole diameter: 3.7 MM
USE WITH. Apply to 25 MM honeycomb blind series of various specification



Slat weight

CODE	BEH-SW
COLOR	Silver
PACK	250 PC/Ctn
MOQ	250 Pc

SPEC. 200 MM*19 MM*2 MM
USE WITH. Apply to 25 MM honeycomb blind series of various specification



Cord

CODE	BEH-CD
COLOR	White
PACK	12000 METER/CTN
MOQ	12000 Meter

SPEC. 1.0 MM/1.2 MM/1.4 MM/1.6 MM can be choosen
USE WITH. Apply to 25 MM honeycomb blind series of various specification



Panel Blinds



Panel Blind Wand System Series
Panel Blind Wand System Series
Head track (4 way)

CODE	BEP-HR-4
COLOR	Painted white
PACK	5.8Meter/PC 10 PC/CTN
MOQ	2000 Meter

SPEC. 1.0 MM 6063 Aluminum Alloy
USE WITH. Apply to panel blind wand system of various specification


Head track (5 way)

CODE	BEP-HR-5
COLOR	Painted white
PACK	5.8Meter/PC 10 PC/CTN
MOQ	2000 Meter

SPEC. 1.0 MM 6063 Aluminum Alloy
USE WITH. Apply to panel blind wand system of various specification


Head track (6 way)

CODE	BEP-HR-6
COLOR	Painted white
PACK	5.8Meter/PC 10 PC/CTN
MOQ	2000 Meter

SPEC. 1.0 MM 6063 Aluminum Alloy
USE WITH. Apply to panel blind wand system of various specification


Gliding profile

CODE	BEP-GP-20
COLOR	Painted white
PACK	5.8Meter/PC 20 PC/CTN
MOQ	3000 Meter

SPEC. With magic tape, hook size 20 MM
USE WITH. Apply to panel blind wand system of various specification


Cover (4 way)

CODE	BEP-CV-4
COLOR	Transparent
PACK	1000 PC/Ctn
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Cover (5 way)

CODE	BEP-CV-5
COLOR	Transparent
PACK	1000 PC/Ctn
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Cover (6 way)

CODE	BEP-CV-6
COLOR	Transparent
PACK	1000 PC/Ctn
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Stopper

CODE	BEP-SP-1
COLOR	Transparent
PACK	5000 PC/Ctn
MOQ	10000Pc

USE WITH. Apply to panel blind wand system of various specification


Carrier

CODE	BEP-CR-1
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	10000 Pc/Ctm

USE WITH. Apply to panel blind wand system of various specification


Joint unit

CODE	BEP-JT-6
COLOR	Silver
PACK	200 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Set device

CODE	BEP-DV-1
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Wand connector

CODE	BEP-WC-1
COLOR	Transparent
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification


Wall bracket (4 way)

CODE	BEP-WB-4
COLOR	Silver
PACK	500 PC/CTN
MOQ	5000 Pc

USE WITH. Apply to panel blind wand system of various specification


Wall bracket (5 way)

CODE	BEP-WB-5
COLOR	Silver
PACK	500 PC/CTN
MOQ	5000 Pc

USE WITH. Apply to panel blind wand system of various specification


Wall bracket (6 way)

CODE	BEP-WB-6
COLOR	Silver
PACK	500 PC/CTN
MOQ	3000 Pc

SPEC. 0.9 MM 6063 Aluminum Alloy
USE WITH. Apply to panel blind wand system of various specification


Bottom tube

CODE	BEP-BT-09
COLOR	Silver
PACK	5.8Meter/PC 30PC/CTN
MOQ	3000 Meter

SPEC. 0.9 MM 6063 Aluminum Alloy
USE WITH. Apply to panel blind wand system of various specification


End cap

CODE	BEP-EC-1
COLOR	White
PACK	5000 PC/CTN
MOQ	10000 Pc

USE WITH. Apply to panel blind wand system of various specification






Outdoor blinds (Zip Track) Series

- Motorised drive system
- Spring drive system
- Chain drive system
- Manual drive system
- Universary Parts



Outdoor Blinds (Zip Track) Series



Outdoor windproof blinds (Zip Track) with four type of drive system

· Motorized driving system
Max making Size: 6M*6M



· Spring driving system
Max making Size: 3.5M*3.5M



· Manual driving system
Max making Size: 6M*3.5M



· Chain driving system
Max making Size: 3M*3.5M



Motorised Drive System

Motor end equalizer

CODE	BEOR-MEE
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. Stainless steel + bearing,Stainless steel plate + two groove bearings and one ball bearing form a pulley system.
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)various specification



Idler end equalizer

CODE	BEOR-TEE
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc


SPEC. Stainless steel + bearing,Stainless steel plate + two groove bearings and one ball bearing form a pulley system,
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)various specification



Balanced track

CODE	BEOR-BTB
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	400 Pc


SPEC. Aluminum alloy profile,3mm thick
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Bottom plate

CODE	BEOR-BP
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. A3 nickel plated / stainless steel,3mm thick Spraying
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Flat idler

CODE	BEOR-FIR
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Aging resistant idler
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Crown

CODE	BEOR-CN
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

USE WITH. PA66+30%GF,Aging-resistant crown
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Idler

CODE	BEOR-IR
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

USE WITH. PA66+30%GF,Aging-resistant high-strength tail cover + metal round shaft
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Motor

CODE	BEOR-MR
COLOR	Yellow
PACK	1 PC/CTN
MOQ	50 Pc

USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Remote

CODE	BEOR-RM
COLOR	White
PACK	10 PC/CTN
MOQ	50 Pc

USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Spring Drive System

Spring end equalizer

CODE	BEOR-MEE
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. Stainless steel + bearing,Stainless steel plate + two groove bearings and one ball bearing form a pulley system,
USE WITH. windproof outdoor Zip track roller blinds(Spring drive system)



Idler end equalizer

CODE	BEOR-TEE
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc


SPEC. Stainless steel + bearing,Stainless steel plate + two groove bearings and one ball bearing form a pulley system,
USE WITH. windproof outdoor Zip track roller blinds(Spring drive system)



Bottom plate

CODE	BEOR-BP
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc


SPEC. A3 nickel plated / stainless steel,3mm thick Spraying
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Balanced track

CODE	BEOR-BTB
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. Aluminum alloy profile,3mm thick
USE WITH. windproof outdoor Zip track roller blinds(Spring drive system)



TL001 spring system

CODE	BEOR-SS
COLOR	Black
PACK	1 PC/CTN
MOQ	100 Pc

USE WITH. PA66 + 30% GF + Piano wire, Ø33.6mm X 260 coil spring system
USE WITH. windproof outdoor Zip track roller blinds(Spring drive system)



Idler

CODE	BEOR-IR
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

USE WITH. PA66+30%GF,Aging-resistant high-strength tail cover + metal round shaft
USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)



Chain Drive System

63 Universary Clutch

CODE	BEOR-UC-63
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Chain export guider

CODE	BEOR-CEG
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Chain

CODE	BEOR-PC
COLOR	White
PACK	600 M/CTN
MOQ	5000 Meter

SPEC. POM + Nylon rope,Loop chain for option
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Idler with limiter

CODE	BEOR-IRL
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Idler with square shaft

CODE	BEOR-IRS
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc


SPEC. PA66+30%GF,Aging-resistant high-strength tail cover + metal square shaft
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Bottom plate

CODE	BEOR-BP
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. PA3 nickel plated / stainless steel,3mm thick Spraying
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Turbo transmission

CODE	BEOR-TTN
COLOR	Silver
PACK	10 PC/CTN
MOQ	200 Pc

SPEC. Aluminum alloy, copper alloy, 40Gr,1: 9 reduction ratio, copper turbine, steel worm
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Rocker

CODE	BEOR-RK
COLOR	Black
PACK	10 PC/CTN
MOQ	200 Pc

SPEC. High-quality structural steel tube + plastic handle
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Idler with limiter

CODE	BEOR-IRL
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc

USE WITH. PA66+30%GF,Push-pull installation structure + adjustable stopper.
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Chain Drive System

63 Universary Clutch

CODE	BEOR-UC-63
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Chain export guider

CODE	BEOR-CEG
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Chain

CODE	BEOR-PC
COLOR	White
PACK	600 M/CTN
MOQ	5000 Meter

SPEC. POM + Nylon rope,Loop chain for option
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Idler with limiter

CODE	BEOR-IRL
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc

SPEC. PA66+30%GF,Universal left and right, push-pull installation structure,1:5 reduction Ratio
USE WITH. windproof outdoor Zip track roller blinds(Chain drive system)



Idler with square shaft

CODE	BEOR-IRS
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	200 Pc


SPEC. PA66+30%GF,Aging-resistant high-strength tail cover + metal square shaft
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Bottom plate

CODE	BEOR-BP
COLOR	Silver
PACK	80 PC/CTN
MOQ	400 Pc

SPEC. PA3 nickel plated / stainless steel,3mm thick Spraying
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Turbo transmission

CODE	BEOR-TTN
COLOR	Silver
PACK	10 PC/CTN
MOQ	200 Pc

SPEC. Aluminum alloy, copper alloy, 40Gr,1: 9 reduction ratio, copper turbine, steel worm
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Rocker

CODE	BEOR-RK
COLOR	Black
PACK	10 PC/CTN
MOQ	200 Pc

SPEC. High-quality structural steel tube + plastic handle
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Idler with limiter

CODE	BEOR-IRL
COLOR	Grey
PACK	80 PC/CTN
MOQ	200 Pc


USE WITH. PA66+30%GF,Push-pull installation structure + adjustable stopper.
USE WITH. windproof outdoor Zip track roller blinds(Manual drive system)



Top cover	
CODE	BEOR-TC-120
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 1.88KG/M,6063 Aluminum Alloy, 2mm thick USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Bottom Cover	
CODE	BEOR-BC-120
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 1.354KG/M,6063 Aluminum Alloy, 2mm thick USE WITH. 120X120mm windproof outdoor Zip track roller blinds	




Side Track	
CODE	BEOR-ST
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 1.155KG/M,6063 Aluminum Alloy, 1.5 mm thick USE WITH. 120X120mm windproof outdoor Zip track roller blinds	




Bottom Weight	
CODE	BEOR-BW
COLOR	Sliver
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. Special lower beam aluminum plug USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Bottom Track	
CODE	BEOR-BT
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 0.723 KG/M,6063 Aluminum Alloy, 1.5 mm thick USE WITH. windproof outdoor Zip track roller blinds	



63 mm Aluminum Tube	
CODE	BEOR-TB-63
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 1.399 KG/M,6063 Aluminum Alloy, 2mm thick USE WITH. windproof outdoor Zip track roller blinds	



78 mm Aluminum Tube	
CODE	BEOR-TB-78
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. 1.399 KG/M,6063 Aluminum Alloy, 2mm thick USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Waterproof strip	
CODE	BEOR-SDT
COLOR	Iron Grey
PACK	6.3 M/PCS 80 PCS/CTN
MOQ	80 Pc
SPEC. universal windproof roller blind Waterproof strip USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Slide driving track	
CODE	BEOR-SDT
COLOR	Iron Grey
PACK	6.3 M/PCS 20 PCS/CTN
MOQ	50 Pc
SPEC. PA66,Add antioxidant USE WITH. windproof outdoor Zip track roller blinds	



Zipper inlet seal	
CODE	BEOR-ZIS
COLOR	Iron Grey
PACK	1000 PCS/CTN
MOQ	1000 Pc
SPEC. PA66,Add antioxidant USE WITH. windproof outdoor Zip track roller blinds	



Side rail bottom seal	
CODE	BEOR-SRBS
COLOR	Iron Grey
PACK	400 PCS/CTN
MOQ	400 Pc
SPEC. PA66,Add antioxidant USE WITH. windproof outdoor Zip track roller blinds	



Bottom rail end cap	
CODE	BEOR-EC
COLOR	Iron Grey
PACK	400 PCS/CTN
MOQ	400 Pc
SPEC. PA66,Add antioxidant USE WITH. windproof outdoor Zip track roller blinds	



Side Cap	
CODE	BEOR-SB-120
COLOR	Iron Grey
PACK	80 SET/CTN
MOQ	200 Sets
SPEC. ADC12;Aluminum alloy spraying USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Zipper	
CODE	BEOR-ZP
COLOR	Grey
PACK	6.3 M/PCS 80 PCS/CTN
MOQ	50 Pc
SPEC. Universal windproof roller blind zipper USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



sponge	
CODE	BEOR-SG
COLOR	Back
PACK	1000 PCS /CTN
MOQ	5000 PC
SPEC. Elastic rubber pad USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



Rubber Strip	
CODE	BEOR-RSP
COLOR	Back
PACK	6.3 M/PCS 80 PCS/CTN
MOQ	100 Pc
USE WITH. 120X120mm windproof outdoor Zip track roller blinds	



45 N Motor Dedicated Crown	
CODE	BEOR-CN(45)
COLOR	Iron Grey
PACK	50 PC/CTN
MOQ	200 Pc
SPEC. PA66+30%GF,Aging-resistant crown USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)	



45 N Motor Dedicated Idler	
CODE	BEOR-IR(45)
COLOR	Iron Grey
PACK	50 PC/CTN
MOQ	200 Pc
SPEC. PA66+30%GF,Aging-resistant high-strength tail cover + metal round shaft USE WITH. windproof outdoor Zip track roller blinds(Motorised drive system)	




Direction adjust Adapter	
CODE	BEOR-DA
COLOR	Iron Grey
PACK	80 PC/CTN
MOQ	400 Pc
SPEC. Direction adjust Adapter USE WITH. 120X120mm windproof outdoor Zip track roller blinds	





Curtain Series

Curtain series



Construction Features:

1. Suitable for many kinds of curtain fabric track, whether it is thin curtain or thick curtain can easily deal with.
2. The sound-deadening inner wall structure can eliminate the noise generated during the rolling of the hanging wheel.
3. smooth and silent runner and slider
4. Special gearbox design allows the system to run ultra-low damping .reduce motor load .long life.
5. According to different indoor installation conditions, the rail can be bent into a curved track of $R > 350$ by means of a curved rail. To meet a variety of installation environments.



Motorise Curtain Track Series
Motorise Curtain Track Series
Drive gear housing(A)


CODE	BEC-DGH(A)
COLOR	White
PACK	100 SETS/CTN
MOQ	300 Sets

SPEC. PC/ABS
USE WITH. Apply to Motorise Curtain Track Series


Drive gear housing (B)


CODE	BEC-DGH(B)
COLOR	White
PACK	100 SETS/CTN
MOQ	300 Sets

SPEC. PC/ABS
USE WITH. Apply to Motorise Curtain Track Series


Aluminum Track A


CODE	BEOR-ST
COLOR	White
PACK	5.8 METER/PC 50PC/CTN
MOQ	1000 Meter

SPEC. Super thick aluminum design, porcelain white electrophoresis surface treatment
USE WITH. Apply to Motorise Curtain Track Series


Aluminum Track B

CODE	BEC-AT(A)
COLOR	White
PACK	5.8 METER/PC 50PC/CTN
MOQ	1000 Meter

SPEC. Super thick aluminum design, porcelain white electrophoresis surface treatment
USE WITH. Apply to Motorise Curtain Track Series


Noiseless Runner A

CODE	BEC-NR(A)
COLOR	White
PACK	1000 SETS/CTN
MOQ	2000 Pc

SPEC. Retorfit POM
USE WITH. Apply to Motorise Curtain Track Series


Noiseless Runner B


CODE	BEC-NR(B)
COLOR	White
PACK	1000 SETS/CTN
MOQ	2000 Pc

SPEC. 10000 sets
USE WITH. Apply to Motorise Curtain Track Series


Master Carrier with long folder & short folder

CODE	BEC-MC
COLOR	White
PACK	100 SETS/CTN
MOQ	500 Sets

SPEC. Stainless steel,POM.
USE WITH. Apply to Motorise Curtain Track Series


Drive Belt


CODE	BEC-DB
COLOR	White
PACK	100 SETS/CTN
MOQ	500 Sets

SPEC. T5X11.5 driving belt
USE WITH. Apply to Motorise Curtain Track Series


Bearing seat of drive housing

CODE	BEC-BS
COLOR	White
PACK	500 SETS/CTN
MOQ	500 Sets

SPEC. POM
USE WITH. Apply to Motorise Curtain Track Series


Ceiling bracket

CODE	BEC-CB
COLOR	White
PACK	500 SETS/CTN
MOQ	1000 Pc

SPEC. A3, stainless steel
USE WITH. Apply to Motorise Curtain Track Series


Swivel Bracket


CODE	BEC-SB
COLOR	White
PACK	100 SETS/CTN
MOQ	1000 Pc

SPEC. Common cold plate spray, easy to install
USE WITH. Apply to Motorise Curtain Track Series


Drive gear housing cover


CODE	BEC-DGHC
COLOR	White
PACK	100 SETS/CTN
MOQ	1000 Pc

SPEC. POM
USE WITH. Apply to Motorise Curtain Track Series


Motor

CODE	BEC-MR
COLOR	White
PACK	50 SETS/CTN
MOQ	50 Pc

SPEC: Curtain Motor.
USE WITH. Apply to Motorise Curtain Track Series


Track Connector Piece

CODE	BEC-TCP
COLOR	White
PACK	5.8 METER/PC 50PC/CTN
MOQ	1000 Pc

SPEC. Aluminum
USE WITH. Apply to Motorise Curtain Track Series

